



**ALABAMA**  
**PORT AUTHORITY**  
PORT OF MOBILE

*Second Addendum*

**Project Name**     **Armstrong Container Yard**  
**Location**         **Mobile, AL**  
**Project #**         **10913 Task 5**                     **July 2022**

**Second Addendum**

**Armstrong  
Container Yard**

**August 4, 2022**



**Project Name**      **Armstrong Container Yard**  
**Location**            **Mobile, AL**  
**Project #**            **10913 Task 5**                      **July 2022**

1. In consideration of bidder requests for time to source materials, bid opening has been re-scheduled for **Thursday, August 18, 2022** at 1:00 P.M. in the International Trade Center Building, 250 North Water Street, fourth floor, Mobile, AL.

Sealed bid proposals will be received via courier to the Alabama State Port Authority, 1400 Alabama State Docks Blvd., Room 216, Administration Building, Mobile, AL 36602 until 12:00 noon, on Thursday August 18, 2022. Sealed bid proposals can also be hand delivered from 12:45 P.M. to 1:00 P.M., on Thursday August 18, 2022 to the Alabama State Port Authority in the International Trade Center Building, 250 North Water Street, Fourth floor, Mobile, AL. Faxed or electronic submitted bids will not be accepted.

2. The following Contractors were represented at the mandatory pre-bid meeting:
  - a. C&C Marine
  - b. G A West & Company
  - c. Esfeller Construction Company
  - d. Rigid Construction
  - e. Chris Brewer Contracting
  - f. Crowder Gulf
  - g. Blade Construction
  - h. S C Stagner Contracting
  - i. KDF Enterprises
3. Replace the Division 1 Schedule of Prices / Contractor's Proposal with the attached Schedule of Prices (**revised 8/4/2022**).
4. Replace Division 5 with the attached Division 5 (**revised 8/4/2022**). Exhibit A is unchanged.



*Specification Booklet*

**Project Name**      **Armstrong Container Yard**

**Location**            **Mobile, AL**

**Project #**            **10913**

**TASK#**    **5**

**July 2022**

5 | Page

**REVISED 8/4/2022**

**Contractor's Proposal**

The Contractor hereby agrees to perform the specified work for the prices outlined in the following schedule. The quantities listed may be increased or decreased during project execution. In the event the quantities change, the unit price shall apply according to scope of work. All items listed shall be performed in accordance with this requisition and proposal and all referenced documents.

ITEM	DESCRIPTION	ESTIMATED QUANTITY	UNIT PRICE	TOTAL
1	Mobilization / Demobilization Including Bonds and Insurance	Lump Sum	Lump Sum	\$ _____
2	Grading and Proof Rolling existing sand base.	Lump Sum	Lump Sum	\$ _____
3	Provide & Install Tensar TX160 Geogrid over Area CY and transition slopes	61,223 square yards	_____/s.y.	\$ _____
4	Provide and Install 12" crushed concrete and stone B-base over Area CY	18,630 cubic yards	_____/c.y.	\$ _____
5	Provide and Install 8" crushed concrete or stone B-base over transition slopes	1,185 cubic yards	_____/c.y.	\$ _____
6	Provide 200 cubic yards of crushed stone stockpiled on-site	200 cubic yards	_____/c.y.	\$ _____
<b>TOTAL BID</b>				\$ _____

\_\_\_\_\_ Dollars

(In Words)



**ALABAMA**  
**PORT AUTHORITY**  
PORT OF MOBILE

*Specification Booklet*

**Project Name**     **Armstrong Container Yard**  
**Location**         **Mobile, AL**  
**Project #**         **10913**             **TASK# 5**             **July 2022**

**DIVISION V**

**Specifications For**

**Armstrong Container Yard**

**(Revised 8/4/2022)**



**Project Name**      **Armstrong Container Yard**  
**Location**            **Mobile, AL**  
**Project #**            **10913**            **TASK# 5**            **July 2022**

**Contractor shall provide materials, equipment and labor to complete the following:**

1. Grading and proof rolling Area CY with slope not less than 1% and not more than 1.5% from peak at center of Area CY towards nearest edge as shown on Exhibit A.
2. Grading and proof rolling of transition slopes at not more than 4:1 from edge of Area CY outward to point where existing grade does not exceed 5% slope.
3. Proof rolling shall include entirety of Area CY and transition slope using 10 ton roller a minimum of two (2) passes.
4. Any metal objects encountered or exposed in Area CY or the transition slopes during any phase of work shall be cut off below the top of subgrade and removed from the work area.
5. Install Tensar TX160 Geogrid, or approved equal, over Area CY and transition slopes. Geogrid shall be installed, lapped and anchored in accordance with manufacturer's instructions. Payment for this Item is based on area of coverage not area of material used.
6. **First Course - Install crushed concrete or stone having 8 inch minimum thickness after compaction covering Area CY and transition slopes.**
7. **Second Course - Install crushed stone having 4 inch minimum thickness after compaction covering Area CY. Second course is not required over transition slopes.**
8. **Contractor shall provide 200 cubic yards of crushed stone stockpile on site as directed by the owner's representative.**
9. Crushed concrete **and** stone shall comply with gradation requirements for ALDOT Type B as specified in Section 825 ALDOT Standard Specifications for Highway Construction, 2022 Edition.
10. First course shall not contain metal objects larger than 2 inches in any dimension.
11. Compaction of each course material shall be in accordance with ALDOT Standard Specifications for Highway Construction, 2022 Edition. A minimum compaction of 98% Modified Proctor in accordance with ASTM D 1557 is required.
12. Crushed concrete aggregate may be brought from offsite sources or derived by processing Owner's concrete rubble stockpiled on the site.